Synergy Analytical Labs
Your Analytical Ally.

Certificate of Analysis

COA #: COA-26-3154
Customer Name: Believe Supplements
Address: NA

Product Name: PROTEIN REFRESHER-STRAWBERRY CANDY
Lot #: 60903

TEST	SPECIFICATION	TEST RESULT	METHOD	DATE
Alanine	1.416 g (1.1328g-1.6992g)	1.5088 g	USP<621>LCMS-MS	19/09/2026
Arginine	0.528g (0.4224g- 0.6336g)	0.5668 g	USP<621>LCMS-MS	19/09/2026
Aspartic acid (asparagine)	2.83g (2.2656g- 3.3984g)	3.0232 g	USP<621>LCMS-MS	19/09/2026
Cysteine (cystine)	0.46g (0.3648g -0.5472g)	0.4796 g	USP<621>LCMS-MS	19/09/2026
Glutamic acid (glutamine)	4.75g (3.8016g- 5.7024g)	4.8513 g	USP<621>LCMS-MS	19/09/2026
Glycine	0.38g (0.3072g-0.4608g)	0.4021 g	USP<621>LCMS-MS	19/09/2026
Histidine	0.41g (0.3264G-0.4896g)	0.4472 g	USP<621>LCMS-MS	19/09/2026
Isoleucine	1.73g (1.3824g-2.0736g)	1.7948 g	USP<621>LCMS-MS	19/09/2026
Leucine	2.86g (2.2848g-3.4272g)	2.9569 g	USP<621>LCMS-MS	19/09/2026
Lysine	2.57g (2.0544g-3.0816g)	2.7900 g	USP<621>LCMS-MS	19/09/2026
methionine	0.58 g(0.4608g-0.6912g)	0.5862 g	USP<621>LCMS-MS	19/09/2026
Phenylalanine	0.77g (0.6144g-0.9216g)	0.8397 g	USP<621>LCMS-MS	19/09/2026
Proline	1.66g (1.3248g-1.9872g)	1.6825 g	USP<621>LCMS-MS	19/09/2026
Serine	1.22g (0.9792g-1.4688g)	1.2758 g	USP<621>LCMS-MS	19/09/2026
Threonine	1.90g (1.5168g-2.2752g)	1.9477 g	USP<621>LCMS-MS	19/09/2026
Tryptophane	0.46g (0.3648g -0.5472g)	0.4698 g	USP<621>LCMS-MS	19/09/2026
Tyrosine	0.72g (0.576g-0.864g)	0.746 g	USP<621>LCMS-MS	19/09/2026
Valine	1.54g (1.2288g-1.8432g)	1.6389 g	USP<621>LCMS-MS	19/09/2026

Purnima Shah

COA prepared by
COA Issued Date: 28/09/2026

Nandish Shah

COA approved by
COA Revision: Original

Synergy analytical laboratories Inc, Unit-13, 215 Traders BLVD,
Mississauga, ON, Canada L4Z3K5

Contact: info@synergyanalyticallabs.com
Phone: +1(905) 890-0100

Certificate of Analysis

COA #: COA-26-3154
Customer Name: Believe Supplements
Address: NA

Product Name: PROTEIN REFRESHER-STRAWBERRY CANDY
Lot #: 60903

TEST	SPECIFICATION	TEST RESULT	METHOD	DATE

Note: *NA*

Purnima Shah

COA prepared by

COA Issued Date: 28/09/2026

Nandish Shah

COA approved by

COA Revision: Original

Synergy analytical laboratories Inc, Unit-13, 215 Traders BLVD,
Mississauga, ON, Canada L4Z3K5

Contact: info@synergyanalyticallabs.com
Phone: +1(905) 890-0100