Synergy Analytical Labs
Your Analytical Ally.

Certificate of Analysis

COA #: COA-26-3246
Customer Name: Believe Supplements
Address: NA

Product Name: PROTEIN REFRESHERS- LEMON ICED TEA
Lot #: 60908

TEST	SPECIFICATION	TEST RESULT	METHOD	DATE
Alanine	1.416 g (1.1328g-1.6992g)	1.483 g	USP<621>LCMS-MS	26/09/2026
Arginine	0.528g (0.4224g- 0.6336g)	0.568 g	USP<621>LCMS-MS	26/09/2026
Aspartic acid (asparagine)	2.83g (2.2656g- 3.3984g)	2.98 g	USP<621>LCMS-MS	30/09/2026
Cysteine (cystine)	0.46g (0.3648g -0.5472g)	0.52 g	USP<621>LCMS-MS	26/09/2026
Glutamic acid (glutamine)	4.75g (3.8016g- 5.7024g)	5.04 g	USP<621>LCMS-MS	30/09/2026
Glycine	0.38g (0.3072g-0.4608g)	0.390 g	USP<621>LCMS-MS	26/09/2026
Histidine	0.41g (0.3264G-0.4896g)	0.420 g	USP<621>LCMS-MS	26/09/2026
Isoleucine	1.73g (1.3824g-2.0736g)	1.84 g	USP<621>LCMS-MS	26/09/2026
Leucine	2.86g (2.2848g-3.4272g)	2.89 g	USP<621>LCMS-MS	26/09/2026
Lysine	2.57g (2.0544g-3.0816g)	2.64 g	USP<621>LCMS-MS	26/09/2026
methionine	0.58 g(0.4608g-0.6912g)	0.62 g	USP<621>LCMS-MS	26/09/2026
Phenylalanine	0.77g (0.6144g-0.9216g)	0.80 g	USP<621>LCMS-MS	26/09/2026
Proline	1.66g (1.3248g-1.9872g)	1.82 g	USP<621>LCMS-MS	26/09/2026
Serine	1.22g (0.9792g-1.4688g)	1.32 g	USP<621>LCMS-MS	26/09/2026
Threonine	1.90g (1.5168g-2.2752g)	2.02 g	USP<621>LCMS-MS	26/09/2026
Tryptophane	0.46g (0.3648g -0.5472g)	0.48 g	USP<621>LCMS-MS	26/09/2026
Tyrosine	0.72g (0.576g-0.864g)	0.75 g	USP<621>LCMS-MS	26/09/2026
Valine	1.54g (1.2288g-1.8432g)	1.58 g	USP<621>LCMS-MS	26/09/2026

Purnima Shah

COA prepared by
COA Issued Date: 05/10/2026

Nandish Shah

COA approved by
COA Revision: Original

Synergy analytical laboratories Inc, Unit-13, 215 Traders BLVD,
Mississauga, ON, Canada L4Z3K5

Contact: info@synergyanalyticallabs.com
Phone: +1(905) 890-0100

Certificate of Analysis

COA #: COA-26-3246
Customer Name: Believe Supplements
Address: NA

Product Name: PROTEIN REFRESHERS- LEMON ICED TEA
Lot #: 60908

TEST	SPECIFICATION	TEST RESULT	METHOD	DATE

Note: *NA*

Purnima Shah

COA prepared by

COA Issued Date: 05/10/2026

Nandish Shah

COA approved by

COA Revision: Original

Synergy analytical laboratories Inc, Unit-13, 215 Traders BLVD,
Mississauga, ON, Canada L4Z3K5

Contact: info@synergyanalyticallabs.com
Phone: +1(905) 890-0100